Injury Vol. 26, No. 10, pp. 711–718, 1995
Copyright 1995 Elsevier Science Ltd
Printed in Great Britain. All rights reserved
0020-1383/95 $10.00 + 0.00

INJURY

International Journal
of the Care of the Injured

INDEX TO VOLUME 26 1995

SUBJECT INDEX

abdomen
  colonic rupture, 337
acetabular wall
  incarcerated fragment after fracture, 645
acetabulum
  ilioinguinal incision extension, 207
  reconstruction, 199
acromion
  fracture and acromioclavicular dislocation, 636
alcohol
  injury severity and GCS in assault, 311
amputation
  closure of wound with skin stretching, 401
aneurysm
  abdominal aortic and head injury, 269
ankylosing spondylitis
  hidden injury of cervical spine in, 67
anstomoses
  rupture and free flap survival, 494
aorta
  ruptured abdominal aneurysm, 269
aortic valve
  tear and rib fracture, 353
approach
  ilioinguinal and Kocher–Langenbeck, 219
artery
  anastomoses rupture and flap survival, 494
  embolus caused by shotgun pellet, 631
  penetrating injuries of brachial, 249
  pseudo-aneurysm, 551
assault
  alcohol, GCS and injury severity, 311
atlanto-occipital dislocation
  diagnosis, 195
atrium
  rupture and diagnosis, 63
  rupture repair, 147
audit
  sternal fracture, 385

back
  symptoms and preceding injury, 335
bacteria
  peritonitis after injury, 55
banana boat
  how safe? 265
biomechanics
  medullary pressure in femoral reaming, 451
  reamed and unreamed tibial nails, 483
bipartite
  patella, 175
black eye
  with a twist, 121
boat
  how safe the banana boat? 265
bone
  diaphyseal and cerclage wires, 159
book reviews, 429
bowing injury
  adult forearm, 277
brace
  treatment of Colles' fracture, 587
British Trauma Society Proceedings, 133
bungee jumping
  comminuted proximal femoral fracture, 413
burn
  accidental in electrocoagulation, 357

calcaneal apophysis
  avulsion fracture in gymnast, 409
callus
  ultrasonography in fractures, 5
carcinoma
  refracture after irradiation, 559
carotid
  dissection and cervical anomalies, 349
carpal dislocation
  trans-trapezoid axial-radial, 417
carpal malalignement
  following radius fracture, 231
cervical anomalies
  traumatic dissection, 349
cervical spine
  injury in ankylosing spondylitis, 67
children
  anterior cruciate ligament rupture, 70
  delayed diagnosis of fracture, 281
  facial fractures, 43
  fractures of forearm and redisplacement, 691
  head injuries in Vietnamese refugees, 533
  injuries on artificial ski slope, 87
  metatarsal fractures, 537
  Monteggia fracture mechanism, 407
  nerve injury and humeral fracture, 343
  patella tendon avulsion, 126
  pelvic fracture, 327
  should they attend school with fractures? 609
  skull fractures, 333
  supracondylar fractures of humerus, 487
  tibial open fractures, 21
coagulopathy
  early awareness, 283
  embolization in multiple injuries, 677
coeliotomy
  morbidity, 393
Colles' fracture
  early mobilization, 671
  new functional brace for treatment, 587
colon
  delayed intercosto-diaphragmatic hernia, 204
  rupture into abdominal muscles, 337
compartment syndrome
  late management, 633
competence
  physician's in pre-hospital care, 471
complications
  postoperative and gastric injuries, 463
computed tomography
  A&E departments, 667
  haematoma mimicking visceral injury, 605
  skull fracture in children, 333
consciousness
  altered and CT in skull fracture, 333
cough
  fracture of rib, 565
craniofacial injuries
  absence of motorcycle helmets, 467
cranium
  injured in innocuous seeming injury, 279

death
  after femoral fracture, 237
delay
  diagnosis of fractured odontoid process, 281
design faults
  People Carrier and severe injuries, 261
diagnosis
  atlanto-occipital dislocation, 195
  delayed of fractured odontoid process, 281
  left atrial rupture, 63
  US and radiography for sternal fractures, 601
diaphyseal bone
  cerclage wires, 159
disability
  functional independence after injury, 97
dislocation
  acromioclavicular, 636
  atlanto-occipital, 195
  carpal, 417
  hip after intertrochanteric fracture, 645
  humeral shaft fractures, 129
  metacarpophalangeal, 123
  patellar and skyline views, 347
  patellar intra-articular, 273
  radial head with shaft fracture, 502
  triquetrum and perilunate, 497
  unusual irreducible patellar, 643
dog
  bite and maxilla fracture, 61
  severe injuries after pack attack, 37
drill guide
  simplifying screw fixation, 572
dynamic plate
  limited contact in upper extremity, 661
dynamization
  Orthofix Dynamic Axial Fixator, 117

ear
  overview and management of blast injury, 363
Editorial, 3, 435,
effusion
  traumatic in elbow joint, 475
elbow
  instability and epicondyle fracture, 267
  mechanisms of fracture, 163
  pulled and hypermobility of joints, 687
  traumatic effusion, 475
elderly patients
  hemiarthroplasty in fractured femur neck, 187
  management of displaced tibial fracture, 291
electrical injuries
  current concepts, 623
electrocoagulation
  accidental third-degree burn, 357
embolization
  pelvic ring disruption, 677

splenic pseudoaneurysm, 705
embolus
  anterior cerebral artery and shotgun pellet, 631
endoscopy
  stent placement in pancreatic duct, 553
epicondyle
  fracture and elbow instability, 267
epidemiology
  injuries in Mersey Region and North Wales, 51
  sports fracture of radius, 33
epilepsy
  bilateral fibula head fractures in, 562
eye
  black with a twist, 121

face
  dog bite and maxilla fracture, 61
  fractures in children, 47
failure
  Mennen femoral plate, 202
femur
  avascular necrosis of head, 351
  bungee jumping fracture, 413
  dynamic condylar screw, 241
  fracture and death, 237
  fracture and Russell–Taylor nail, 389
  fracture treated by hemiarthroplasty, 187
  gunshot fracture, 257
  intramedullary nailing in fracture, 379
  late open nailing for neglected fractures, 527
  Mennen plate, 202
  neck fracture as complication of nailing, 319
  neck stress fracture in marathon runner, 491
  osteosynthesis or external fixation, 323
  reaming and medullary pressure, 451
  reduction of temperature in reaming, 183
  stress distributions after fracture, 445
  unusual epiphyseal separation, 695
fibrin
  glue repair of atrial rupture, 147
fibular
  bilateral fractures in epileptic seizure, 562
  pseudo-aneurysm of artery, 551
finger
  dislocation, 123
fixation
  external as primary, definitive treatment, 245
  external for tibial fractures, 299
  failure in intertrochanteric fractures, 611
  fractures of the os calcis, 111
  new guide for coraco-clavicular screw, 572
  sacral fracture non-union, 65
  symphaseal disruption, 75
  temporary external for femur fracture, 323
flap
  survival and arterial anastomoses rupture, 494
flexion
  injury in ankylosing spondylitis, 67
flexor digitorum profundus
  unusual laceration, 550
flexor digitorum profundus tendon
  complete avulsion, 697
fluoroscopy
  usefulness of hard-copy prints, 331
forearm
  bowing injury in adult, 277
  fracture treated by shortening, 415
  fractures and redisplacement in children, 691
  unusual fracture and Monteggia injury, 407
forklift trucks
  injuries, 285
fracture
  acetabulum, 207
  as complication of nailing, 319
  avulsion of calcaneal apophysis, 409
  both-column, 219
  comminuted forearm and shortening, 415
  cough of rib, 565
  delayed diagnosis of odontoid process, 281
  diaphyseal tibial stress and osteoarthritis, 419
  displaced tibial in elderly, 291
  distal radius in sports, 33
  epileptic seizures, 562
  external fixation, 345
  femoral and stress distributions, 445
  femoral in bungee jumping, 413
  femoral pertrochanteric and necrosis, 351
  femoral stress in marathon runner, 491
  femur and dynamic condylar screw, 241
  femur and osteosynthesis or fixation, 323
  femur treated by hemiarthroplasty, 187
  fixation failure in intertrochanteric, 611
  forearm and redisplacement in children, 691
  gunshot of femur, 257
  gunshot of humerus, 93
  healed tibial refracture after irradiation, 559
  hip and urinary tract infection, 89
  humeral displaced fractures, 702
  humeral shaft, 129
  humerus in overweight patients, 263
  intertrochanteric and Variwall nail, 367
  intra-articular in distal humerus, 169
  late open nailing in neglected fractures, 527
  lateral epicondyle and elbow instability, 267
  maxilla after dog bite, 61
  mechanism in elbow, 163
  metatarsal in children, 537
  mobilization in Colles', 671
  monitoring healing with strain gauges, 181
  Monteggia injury mechanism, 407
  non-union, 65
  open of tibia in children, 21
  os calcis fixation, 111
  pelvic, 81
  pelvis in children, 327
  pilon and Goodall Targetting Device, 567
  proximal femur and death, 237
  radial shaft with head dislocation, 502
  radius and carpal malalignement, 231
  repair and protein immunohistochemistry, 523
  rib and aortic valve tear, 353
  rib and subclavian vein haemorrhage, 57
  sacral non-union, 65
  scaphoid and isotope bone imaging, 479
  Seidel locking nail, 13, 155
  should children attend school? 609
  skull in children and CT, 333
  sternum and 10 year audit, 385
  stress of os ischium, 411
  subcapital of hip and knee replacement, 421
  supracondylar of humerus in children, 487
  tibia and unilateral external fixation, 299
  tibial and osteoporosis, 459
  ultrasonography of callus, 5
  unrecognized in spine with tetraparesis, 562
fragment
  entrapped and irreducible syndesmosis, 569
functional independence measure
  disability and rehabilitation, 97

gastric
  injuries and postoperative complications, 463
Glasgow Coma Score
  injury, alcohol and assault, 311
glue
  repair of atrial rupture, 147
Goodall Targetting Device
  external fixators and pilon fractures, 567
graft
  acetabular reconstruction, 199
  sacral non-union, 65
groin
  lymphocele after blunt trauma, 500
gunshot
  fracture of femur, 257
  fracture of humerus, 93
gymnast
  avulsion fracture of calcaneal apophysis, 409

haematoma
  abdominal wall mimicking visceral injury, 605
  cervical spine injury, 345
  retropharyngeal, 339
haemorrhage
  embolization in multiple injuries, 677
  late subclavian vein after rib fracture, 57
head
  injuries in Vietnamese refugees, 533
  injury and abdominal aortic aneurysm, 269
  injury and Injury Severity Score, 399
  management of severe injury, 395
  meningitis 39 years after injury, 355
healing
  monitoring with strain gauges, 181
  PMN elastase, 103
heart
  subxiphoid pericardial window in injury, 299
  troponin T release and multiple injuries, 439
hemiarthroplasty
  fractured femur, 187
  hip head *in-situ*, 271
hernia
  delayed intercosto-diaphragmatic, 204
hip
  dislocation after intertrochanteric fracture, 645
  fracture–dislocation, 199
  fractures and urinary tract infection, 89
  head *in-situ* hemiarthroplasty, 271
  incarcerated fragment without dislocation, 645
  subcapital fracture and knee replacement, 421
humerus
  fracture and dislocation, 129
  fracture in overweight patients, 263
  gunshot fracture, 93
  intra-articular fracture, 169
  intra-thoracic displacement of head, 638
  Seidel locking nail in fracture, 13, 155
  supracondylar fracture and nerve injury, 343
  supracondylar fractures in children, 487
  treatment for displaced fractures, 702
hypermobility
  pulled elbow, 687

impalement
  management 191
infant
  unusual epiphyseal separation, 695
infection
  post-traumatic multiple organ dysfunction, 373
  urinary and hip fractures, 87
inflammation
  PMN elastase and wound healing, 103
injuries
  epidemiology in Mersey and North Wales, 51
  alcohol, severity and GCS in assault, 311
  back and preceding symptoms, 335
  bacterial peritonitis, 55
  blast to ear, 363
  bowing in adult forearm, 277
  disability and functional independence, 97
  forklift trucks, 285
  hidden in ankylosing spondylitis, 67
  innocuous in intracranial damage, 279
  Monteggia in a child, 407
  multiple and cardiac troponin T release, 439
  neck and preceding injury, 17
  occult cardiac, 299
  penetrating of brachial artery, 249
  severe and People Carrier design faults, 261
Injury Severity Score
  head injury, 399
irradiation
  refracture of healed fracture and, 559
isotope bone imaging
  scaphoid fracture, 479

junior staff
  tendon repair, 107

knee
  osteoarthritis in tibial stress fracture, 419
  replacement and subcapital hip fracture, 421

Kocner–Langenbeck approach
both-column fractures, 219

laparatomy
transpyloric feeding tube, 177
laser
therapy in orthopaedic population, 315
Leeds
improvements in trauma survival, 455
ligament
anterior cruciate rupture, 70
lightning strike
indirect via telephone wire, 629
limbs
sucking wounds, 151
liver
occlusion of hepatoduodenal ligament, 547
lymphocele
groin after blunt trauma, 500
war injury, 693

magnetic resonance imaging
management of tibial plateau fractures, 595
management
ATLS and induction courses, 253
blast injury of ear, 363
displaced tibial fractures in elderly, 291
impalement, 191
pelvic fracture in children, 327
pre-hospital for thoracic injury, 581
severe head injury in Northern Ireland, 395
late of compartment syndrome, 633
marathon runner
femoral neck stress fracture, 491
maxilla
fracture after dog bite, 61
measurement
value of ATLS and induction courses, 253
meningitis
secondary to ruptured mucocele, 355
metatarsal
fractures in children, 537
model
skin in wound closure, 213
motorcycle
injuries, 543
motorcycle helmet
craniofacial injuries in absence, 467
multiple cranial nerve injuries, 405
mucocele
ruptured and meningitis, 355

nail
broken, 286
femoral neck fracture as complication, 319
femur fractures due to gunshots, 257
gamma compared to dynamic hip screw, 61
intramedullary in femoral shaft fracture, 379
intramedullary reamed and unreamed, 483
removal of fragment, 531
Russell–Taylor in femur fracture, 389
Seidel locking in humeral fracture, 13, 155
Variwall reconstruction in fracture, 367
nailing
late open for neglected fractures, 527
neck
stroke following injury, 555
symptoms and preceding injury, 17
necrosis
avascular after pertrochanteric fracture, 351
nerve
injury and humeral fracture, 343
palsies caused by motorcycle helmet, 405
nerve injuries
in vascular trauma, 515
neuralgia
prepatellar, 225
new technique
broken cannulated screw removal, 59
non-union
model in rats, 681
model of rabbit tibial diaphysis, 619
sacral, 65
Northern Ireland
management of severe head injury, 395

occlusion
hepatoduodenal ligament, 547
odontoid process
delayed diagnosis of fracture, 281
orbit
and innocuous seeming injury, 279
Orthofix Dynamic Axial Fixator
bone healing, 117
os calcis
fracture fixation, 111
os ischium
stress fracture, 411
os odontoideum
congenital or acquired? 640
osteoarthritis
knee in diaphyseal tibial stress fracture, 419
osteoporosis
reduction after tibial fracture fixation, 459
osteosynthesis
femoral fracture, 232
outcomes
orthopaedic trauma surgery, 653
overweight
operative treatment of humeral fractures, 263

pack attack by dogs, 37
pancreas
stent placement in duct, 553
patella
bipartite, 175
intra-articular dislocation, 273
irreducible intra-articular dislocation, 643
prepatellar neuralgia, 225
skyline views in dislocation, 347
tendon avulsion in children, 126
pelvic ring
percutaneous transcatheter embolization, 677
pelvis
fracture analysis, 81
fracture in children, 327
symphaseal disruption, 75
People Carrier
design faults and severe injuries, 261
perilunate
dislocation with triquetrum dislocation, 497
peritonitis
bacterial, 55
pertrochanter
fracture and femoral head necrosis, 351
pilon
fracture and Goodall Targetting Device, 567
plate
limited dynamic contact compression, 661
Mennen femoral, 202
polymorphonuclear granulocytes
wound healing, 103
post-traumatic multiple organ dysfunction
antecedent infection, 373
pre-hospital care
physician's competence, 471
protein immunohistochemistry
fracture repair, 523
pseudo-aneurysm
intrasplenic managed by embolization, 705
lateral circumflex humeral artery, 551
pulled elbow
hypermobility of joints, 687
pulmonary
tuberculosis at injury site, 557

rabbit
non-union model of tibial diaphysis, 619
radiography
diagnosis of sternal fractures, 601
radius
fracture and carpal malalignement, 231
fracture in sports, 33
head dislocation with shaft fracture, 502
rat
experimental model for non-union, 681
reaming
pressure generation in femur, 451
reduction of temperature in femur head, 183
tibial nails compared with unreamed, 483
redisplacement
forearm fractures in children, 691
region
Mersey and North Wales, 51, 543
trauma workload, 25
rehabilitation
services and disability, 97
removal
cannulated screw, 59
retropharynx
haematoma, 339
rib
cough fracture, 565
fracture and aortic valve tear, 353
fracture and subclavian vein haemorrhage, 57
rugby
stroke follwowing neck injury in a player, 555
rupture
anterior cruciate ligament in children, 70
artieral anastomoses in free flap survival, 494
atrial repair with fibrin glue, 147
biceps femoris tendon, 275
colon, 337
left atrial, 63
mucocele and secondary meningitis, 355

sacrum
fracture non-union, 65
scaphoid
fracture and isotope bone imaging, 479
school
should children attend with fractures? 609
screw
drill guide for coraco-clavicular fixation, 572
dynamic condylar in femur fracture, 241
dynamic hip compared with gamma nail, 611
broken, 59
sesamoid
entrapment in finger dislocation, 123
shortening
treatment for forearm fracture, 415
shotgun
embolus to anterior cerebral artery, 631
skiers
children on artificial slope, 87
splenic injuries, 43
skin
model for wound closure, 213
stretching device in closing amputation, 401
skull
fracture in children and CT, 333
skyline views
patellar dislocation, 347
snowboards
injuries, 539
spine
hidden cervical injury in ankylosing spondylitis, 67
injury and cervical epidural haematoma, 345
unrecognized fracture in tetraparesis, 562
spleen
embolization for pseudo-aneurysm, 705
injuries in skiers, 43
sports
fracture of distal radius, 33
patella tendon avulsion in children, 126
squamous-cell carcinoma
refracture of tibia after irradiation, 559
sternum
US and radiography for diagnosis, 601
strain gauges
monitoring fracture healing, 181

stress
distribution after femoral fracture, 445
stress fracture
os ischium, 411
stroke
neck injury in a rugby player, 555
subclavian vein
haemorrhage after rib fracture, 57
subxiphoid pericardial window
occult cardiac injury, 299
sucking
wounds of limbs, 151
survival
improvements in Leeds, 455
left atrial rupture, 63
symphysis
pelvic disruption, 75
symptoms
preceding injury in back, 335
preceding injury in neck, 17
syndesmosis
irreducible due to entrapped fragment, 569

technique
broken cannulated screw removal, 59
broken intramedullary nail extraction, 286
multiple guide wire, 531
removal of fractured nail, 531
telephone
indirect lightning strike via wire, 629
temperature
reducing while reaming, 183
tendon
biceps femoris rupture, 275
patella in children, 126
repair by junior staff, 107
test
mechanism of elbow fracture, 163
therapy
laser in orthopaedic population, 315
thigh
lymphocoele after war injury, 693
thorax
displacement of humeral head into, 638
pre-hospital management for injury, 581
tibia
displaced fracture in elderly patients, 291
fracture and osteoporosis, 459
fractures treated with external fixation, 299
MRI in management, 595
open fracture in children, 21
rabbit diaphysis model, 619
reamed and unreamed nails, 483
refracture after irradiation for carcinoma, 559
transpyloric feeding tube
laparotomy, 177
trauma
workload in Health Region, 25
triquetrum
dislocation with perilunate dislocation, 497
troponin T
cardiac in multiple injuries, 439
tube
insertion in ventilated patient, 421
transpyloric feeding during laparotomy, 177
tuberculosis
at injury site, 557
tuition
skin model for wound closure, 213

ulna
tunnel syndrome, 341
ultrasonography
external callus in fractures, 5
ultrasound
diagnosis of sternal fractures, 601
urinary
infection and hip fractures, 87

valve
tear of aortic and rib fracture, 353
vascular trauma
nerve injuries, 515
vein
subclavian haemorrhage in rib fracture, 57
ventilated patient
chest tube insertion, 425
vertebrae
fractures without neurological deficit, 519
Vietnamese refugees
children's head injuries, 533
viscera
injury mimicked by haematoma, 605

war wounds
Croatian war, 507
lymphocoele of thigh after, 693
wires
cerclage, 159
workload
trauma in Health Region, 25
wound
PMN elastase and healing, 103
sucking of limbs, 151
wrist
injury and ulnar tunnel syndrome, 341

AUTHOR INDEX

Aguiar J. R., see Coimbra R., 463
Airey C. M. and Franks A. J., Major trauma workload within an English Health Region, 25
Airey M., see Burdett-Smith P., 455
Ali M. S., see Butt M. S., 615
Amis A. A. and Miller J. H., The mechanism of elbow fractures: an investigation using impact tests *in vitro*, 163
Anderson P. J., Fractures of the facial skeleton in children, 47
Archer I. A., see Shaw D. L., 273
Arsiwala S., see Peek G. J., 425
Ashcroft G. P., see Brewster N. T., 286
Ashcroft G. P., see Moir J. S., 587
Ashcroft P., see Irwin A., 21
Ashwood N. and Wojcik A. S., Traumatic separation of the upper femoral epiphysis in a 15-month-old girl: an unusual mechanism of injury, 695
Attwood S. E. A., see Kelly I. P., 191
Axelsen P., see Kjaergard H. K., 147
Aymard A., see Piotin M., 677

Babhulkar S., see Babhulkar S. S., 277
Babhulkar S. S., Pande K. C. and Babhulkar S., Bowing injury of forearm in an adult, 277
Babis G. Ch., see Papiaoannou N., 169
Baltas D., Complex dislocation of the metacarpophalangeal joint of the index finger with sesamoid entrapment, 123
Bannister G. C., see Perez J. V., 237
Bannister G. C., see Hubble M. J. W., 572
Barnes M. R., see Calder S. J., 183
Beattie T. F., see Wyatt J. P., 87
Bebawi M. A., see Vijay V., 500
Bedford A. F., see Ponte-Tellechea J., 353
Begley A., Wilson D. S. and Shaw J., Cough fracture of the first rib, 565
Bekavac- Bešlin M., see Peric M., 507
Bell K. M., see Gidden D. J., 643
Bendahan J., Van Rewsburg C. J., Van Vuren B. and Muller R., Endoscopic intrapancreatic stent for traumatic duct injury, 553
Berkshire A., see Johnson J. A., 451
Berner W., see Hendrich C., 601
Bhatty M. A., Thomas S. S. and Nancarrow J. D., Delayed ulnar tunnel syndrome following a minor closed wrist injury, 341
Bickerstaff R. J., see Nayak R. K., 347
Birtwistle S. J. and Jacobs L., An avulsion fracture of the calcaneal apophysis in a young gymnast, 409
Bishay M., see Palmer S. H., 702
Biyani A., Reddy N. S., Chaudhury J., Simison A. J. M. and Klenerman L., The results of surgical management of displaced tibial plateau fractures in the elderly, 291
Bode P. J., see van Veen I. H. P. A. A., 81
Bonjer H. J., see Rozendal F. W., 57
Boot D. A., see Gorman D. F., 51
Boot D. A., see Sinha A. K., 543
Boulanger B. R., Brenneman F. D., Rizoli S. B. and Nayman R., Insertion of transpyloric feeding tube during laparotomy in the critically injured: rationale and plea for routine use, 177
Bråten M., Terjesen T. and Rossvoll I., Femoral shaft fractures treated by intramedullary nailing. A follow-up study focusing on problems related to the method, 379
Brennan R., see Prall J. A., 539
Brenneman F. D., see Boulanger B. R., 177
Brewster N. T., Ashcroft G. P. and Scotland T. R., Extraction of broken intramedullary nails – an improvement in technique, 286
Brickley M. R. and Shepherd J. P., The relationship between alcohol intoxication, injury severity and Glasgow Coma Score in assault patients, 311
Brooks J. P. and Marshall J. H., Early awareness of post-traumatic coagulopathy, 283
Broos P. L., see Van den Bossche M. R. P., 323
Brown J. N., The suspected scaphoid fracture and isotope bone imaging, 479
Browning F. S. C., see Southern S. J., 213
Brueton R. N., see Iossifidis A., 175
Bruining H. A., see Rozendaal F. W., 57
Bunker T. D., see Smets C., 411
Burdett-Smith P., Airey M. and Franks A., Improvements in trauma survival in Leeds, 455
Butt M. S., Krikler S. J., Nafie S. and Ali M. S., Comparison of dynamic hip screw and gamma nail: a prospective, randomized controlled trial, 615
Byrnes D. P., see Cooke R. S., 395, 399

Caja V. L., see Moroni A., 219
Calder S. J., Barnes M. R. and Harper W. M., Reduction of temperature generated by the triple reamer within the femoral head, 183
Callanan I., see Lahoti O. P., 67

Campbell P., see Scott B. W., 271
Capper M., see Oni O. O. A., 181
Carrell T. W. G., see Gibbons C. L. M. H., 389
Cartilidge D., see Fourie L., 61
Case C. P., see Perez J. V., 237
Cavina E., see Chiarugi M., 705
Chaloner E. J. and Crozier J. A., Lymphocoele of the thigh following blunt war injury, 693
Chan A., see Nather A., 187
Chan D. and Jones D., Irreducible syndesmosis due to an entrapped posterior fragment, 569
Chan S. and Ip F. K., Open reduction and internal fixation for displaced intra-articular fractures of the os calcis, 111
Chang L.-T., see Lee M.-C., 467
Chaudhury J., see Biyani A., 291
Chauhan C., Howard A. and Saleh M., Severely comminuted forearm fracture treated with acute shortening, 415
Chess D. G., see Johnson J. A., 451
Chesser T. J. S. and Nelson R. J., Traumatic carotid dissection associated with cervical anomalies, 349
Chiarugi M., Goletti O., Pucciarelli M., Cioni R., Puglisi A. and Cavina E., Post-traumatic intrasplenic pseudoaneurysm successfully managed by embolization, 705
Chissell H. R., see Johnstone D. J., 89
Chiu W.-T., see Lee M.-C., 467
Choudhary M. T., see Hagroo G. A., 687
Chow S. P., see O'Flanagan S. J., 231
Christensen O. M., Christiansen T. G., Jørgensen U., Kjersgaard A. G. and Konradsen L., Are hard-copy prints from peroperative fluoroscopy images useful as documentation? 331
Christiansen T. G., see Christiensen O. M., 331
Christie J., see Shaw A. D., 515
Cioni R., see Chiarugi M., 705
Clasper J. C. and Pailthrope C. A., Delayed diagnosis of an odontoid process fracture in an infant, 281
Clements W. D. B., Mezue W. and Mathew B., Os odontoideum – congenital or acquired? – that's not the question, 640
Coates N. E., Post-traumatic primary bacterial peritonitis, 55
Coats T. J., Wilson A. W., and Xeropotamous N., Pre-hospital management of patients with severe thoracic injury, 581
Coimbra R., Pinto M. C. C., Aguiar J. R. and Rasslan S., Factors related to the occurrence of postoperative complications following penetrating gastric injuries, 463
Condon K. C., see Kneafsey B., 37
Conroy C., see Mulcahy D., 315
Cooke R. S., McNicholl B. P. and Byrnes D. P., Early management of severe head injury in Northern Ireland, 395
Cooke R. S., McNicholl B. P. and Byrnes D. P., Use of the Injury Severity Score in head injury, 399
Crichlow T. P. K. R., see Warwick D. J., 241
Crozier J. A., see Chaloner E. J., 693
Cunningham B., see Fairbank A. C., 483
Curtis M., see Fairbank A. C., 483
Curto J. M., see Guiral J., 647
Cushchieri R. J., see Paraskevopoulos J. A., 269
Crushing B. M., see Dunham C. M., 373
Cutting C., see Madhavan P., 697

Damiano A. M., see Dunham C. M., 373
Darcy C. M., Lovell M. E. and Metcalfe J. W., Injuries from forklift trucks, 285
Dauwe D., see Fortems Y., 275
David H. see Housden P. L., 698
Davis T. R. C., see Evans J. D., 107
De Boeck H., Yde P. and Opdecam P., Non-union of a sacral fracture treated by bone graft and internal fixation, 65
Degiannis E., Levy R. D., Sliwa K., Potokar T. and Saadia R., Penetrating injuries of the brachial artery, 249
Dent C. M., see Holt M. D., 595
Dhal A. and Gautam V. K., Acetabular reconstruction by muscle pedicle bone graft for fracture–dislocation of the hip, 199
Dias J. J., see Rawes M. L., 562
Divakar M., see Grewal H., 305
Domingo Z., see van As A. B., 631
Donchin Y., see Notzer N., 471
Dougall T. W., Kay N. R. M. and Turnbull L. W., Acute cervical epidural haematoma after soft-tissue cervical spine injury, 345
Dove A., see Evans J. D., 107
Dove J., see Kelly C. P., 339
Dowling F., see Lane-O'Kelly A., 327
Dragon G. M., see Ross S. E., 393
Dujon D., La Hausse-Brown T. P. and O'Hare P., Pseudo-aneurysm of the lateral circumflex humeral artery following external fixation of a free fibula transfer, 551
Dunham C. M., Damiano A. M., Wiles C. E. and Cushing B. M., Post-traumatic multiple organ dysfunction syndrome – infection is an uncommon antecedent risk factor, 373

Earlam R. J., see Hetherington H., 97
Eastaugh-Waring S. J., Wells J. and Saleh M., The use of the Goodall Targetting Device for application of external fixators in the treatment of pilon fractures, 567
Eldad A., see Notzer N., 471
Emami E., Mjöberg B., Karlström G. and Larsson S., Treatment of closed tibial shaft fractures with unilateral external fixation, 299
Emery D., see Palmer S. H., 555
Evans J. D., Wignakumar V., Davis T. R. C. and Dove A., Results of extensor tendon repair performed by junior accident and emergency staff, 107
Evans P., see MacNamara A. F., 667
Evans R., see Wong C., 121

Fabry G., see Fortems Y., 275
Fagan J. M., Rehm A., Ryan W. G. and Hodgkinson J. P., The perceived relationship between back symptoms and preceding injury, 335
Fairbank A. C., Thomas D., Cunningham B., Curtis M. and Jinnah R. H., Stability of reamed and unreamed intramedullary tibial nails: a biomechanical study, 483
Ferris B. see Housden P. L., 698
Finkewitz U., see Hendrich C., 601
Finlay D. B., see Owen R. J. T., 537
Finsen V., The effect of cerclage wires on the strength of diaphyseal bone, 159
Firmin R. K., see Peek G. J., 385, 425
FitzGerald R., see Hill S. A., 605
Flores M., see Liu A., 202
Fogarty E., see Lane-O'Kelly A., 327
Fortems Y., Victor J., Dauwe D. and Fabry G., Isolated complete rupture of biceps femoris tendon, 275
Fourie L. and Cartilidge D., Fracture of the maxilla following dog bite to the face, 61
Fox M. J., see Kelly I. P., 191
Foxworthy M. and Pringle R. M., Dynamization timing and its effect on bone healing when using the Orthofix Dynamic Axial Fixator, 117
Foy P. M., see Kanwar S., 355
Franks A. J., see Airey C. M., 25
Franks A., see Burdett-Smith P., 455
Freimüller W., see Sim E., 445
Fukuda M., see Koga H., 557

Gadžijev E., see Repse S., 547
Gandhi A., see Khanna A., 337
Gargan M. F., see Gundle R., 611
Garth R. J. N., Blast injury of the ear: an overview and guide to management, 363
Gautam V. and Heyworth J., A method to measure the value of formal training in trauma management: comparison between ATLS and induction courses, 253
Gautam V. K., see Dhal A., 199
Gehrchen P. M., see Henriksen B. M., 475
Gerner-Smidt H., see Henriksen B. M., 475
Geutjens G. G., Ischaemic anterior interosseus nerve injuries following supracondylar fractures of the humerus in children, 343
Giannoudis P. V., see Shaw D. L., 273
Gibbons C. L. M. H., Gregg-Smith S. J., Carrell T. W. G., Murray D. W. and Simpson A. H. R. W., Use of the Russell–Taylor reconstruction nail in femoral shaft fracture, 389
Gibson P., see Irwin A., 21
Gidden D. J. and Bell K. M., An unusual case of irreducible intra-articular patellar dislocation with vertical axis rotation, 643
Godfrey H. G., see Vijay V., 500
Goh K. Y. C. and Poon W. S., Children's head injuries in the Vietnamese refugee population in Hong Kong, 533
Goletti O., see Chiarugi M., 705
Gopčević A., see Peric M., 507
Gorczyca J. T., Powell J. N. and Tile M., Lateral extension of the ilioinguinal incision in the operative treatment of acetabulum fractures, 207
Gorman D. F., Teanby D. N., Sinha M. P., Wotherspoon J., Boot D. A. and Molokhia A., The epidemiology of major injuries in Mersey Region and North Wales, 51
Gorman D. F., see Sinha A. K., 543
Gracia A., see Guiral J.
Gray C., see Ikpeme J. O., 225
Grdic P., see Has B., 245
Gregg-Smith S. J., see Gibbons C. L. M. H., 389
Gregson P. A., see Tandon S. C., 459
Grewal H., Ivatury R. R., Divakar M., Simon R. J. and Rohman M., Evaluation of subxiphoid pericardial window used in the detection of occult cardiac injury, 305
Gross M., see Johnson J. A., 451
Guichard J. P., see Piotin M., 677
Guiral J., Garcia A. and Curto J. M., Incarcerated fragment of posterior acetabular wall fracture without hip dislocation, 647
Gundle R., Gargan M. F. and Simpson A. H. R. W., How to minimize failures of fixation of unstable intertrochanteric fractures, 611

Haddad F. S., Manktelow A. R. J. and Dorrell J. H., Radial head dislocation with radial shaft fracture, 502
Haddad F. S. and Williams R. L., Forearm fractures in children: avoiding redisplacement, 691
Hagroo G. A., Zaki H. M., Choudhary M. T. and Hussain A., Pulled elbow – not the effect of hypermobility of joints, 687
Hajducka C., see Lawson G. M., 33
Hankey S., see Ipkeme J. O., 497
Haq N., see Kelly C. P., 339
Hara K., see Koga H., 557
Harper W. M., see Calder S. J., 183
Har-Shai Y., Ullmann Y., Reis N. D., Hashmonai M. and Hirshowitz B., Closure of an open high below-knee guillotine amputation wound using a skin-stretching device, 401
Has B., Jovanovic S., Wertheimer B., Mikolasevic I. and Grdic P., External fixation as a primary and definitive treatment of open limb fractures, 245
Hashemi-Nejad A., see Middleton R. G., 531
Hashmonai M., see Har-Shai Y., 401
Hawthorn I. E., Monaghan A. M., Mason P. F and Howell G. P., How safe the 'banana' boat? 265
Hearn T., see Varga 75
Heiner L., see Varga E., 63
Hendrich C., Finkewitz U. and Berner W., Diagnostic value of ultrasonography and conventional radiography for the assessment of sternal fractures, 601

Henriksen B. M., Gehrchen P. M., Jørgensen M. B. and Gerner-Smidt H., Treatment of traumatic effusion in the elbow joint: a prospective, randomized study of 62 consecutive patients, 475
Herbreteau D., see Piotin M., 677
Hetherington H., Earlam R. J. and Kirk C. J. C., The disability status of injured patients measured by the functional independence measure (FIM) and their use of rehabilitation services, 97
Heyworth J., see Gautam V., 253
Hickey F. G., see Owen R. J. T., 537
Hietaniemi K., Peltonen J. and Paavolainen P., An experimental model for non-union in rats, 681
Hill S. A., Jackson M. A. and FitzGerald R., Abdominal wall haematoma mimicking visceral injury: the role of CT scanning, 605
Hirshowitz B., see Har-Shai Y., 401
Hodgkinson J. P., see Marshall P. D., 17
Hodgkinson J. P., see Fagan J. M., 335
Hofer H. P., Kukovetz E., Petek W., Schweighofer F., Wildburger R. and Schaur R. J., Released PMN elastase: an indicator of post-surgical uneventful wound healing and early inflammatory complications. A contribution to the search for objective criteria in wound healing monitoring, 103
Hollingdale J., see Soin B., 407
Holt M. D., Williams L. A. and Dent C. M., MRI in the management of tibial plateau fractures, 595
Houdart E., see Piotin M., 677
Housden P. L., Ferris B., Schizas C. and David H., Vascular injury following dosed proximal tibial fracture: beware the extension injury, 698
Howard A., see Chauhan C., 415
Howell G. P., see Hawthorn I. E., 265
Hubble M. J. W. and Bannister G. C., A new drill guide to simplify coraco-clavicular screw fixation, 572
Hunt N., see Soin B., 407
Hussain A., see Hagroo G. A., 687
Hyder N. and Shaw D. L., Children with fractures... should they attend school? 609

Iau P., see Nather A., 187
Ikpeme J. O. and Gray C., Traumatic prepatellar neuralgia, 225
Ikpeme J. O. and Hankey S., Dorsal dislocation of the triquetrum: a rare complication of perilunate dislocation, 497
Iossifidis A. and Brueton R. N., Painful bipartite patella following injury, 175
Ip F. K., see Chan S., 111
Ip F. K., see O'Flanagan S. J., 231
Irwin A., Gibson P. and Ashcroft P., Open fractures of the tibia in children, 21
Isager P. and Lind T., Accidental third-degree burn caused by bipolar electrocoagulation, 357
Ivanec Z., see Peric M., 507
Ivaturay R. R., see Grewal H., 305

Jackson M., see Warwick D. J., 241
Jackson M. A., see Hill S. A., 605
Jacobs L., see Birtwistle S. J., 409
Jain S. K., Delayed, traumatic intercosto-diaphragmatic hernia of colon, 204
Jeffery J. A. and Podmore M., Unusual avulsions of the patellar tendon in two schoolboy athletes: case reports and discussion with reference to the literature, 126
Jensen A. T. and Rasmussen S., Being overweight and multiple fractures are indications for operative treatment of humeral shaft fractures, 263
Jenkins A. McL., see Shaw A. D., 515
Jewell F., see Jones K. E., 195
Jinnah R. H., see Fairbank A. C., 483
Johnson J. A., Berkshire A., Leighton R. K., Gross M., Chess D. G. and Petrie D., Some basic biomechanical characteristics of medullary pressure generation during reaming of the femur, 451
Johnstone A. J., see Read H. S., 333
Johnstone D. J., Morgan N. H., Wilkinson M. C. and Chissell H. R., Urinary tract infection and hip fracture, 89
Jones D., see Chan D., 569
Jones K. E., Wakeley C. J. and Jewell F., Another line of enquiry, 195
Jones P. W., see Tandon S. C., 459
Jørgensen M. B., see Henriksen B. M., 475
Jøorgensen U., see Christensen O. M., 331
Jovanovic S., see Has B., 245
Jupiter J. B., see McKee M. D., 661

Kaar T. K., Rice J. J. and Mullan G. B., Fracture–dislocation of the shoulder with intra-thoracic displacement of the humeral head, 638
Kalavritinos J., see Papiaoannou N., 169
Kanwar S., Mitchell R. D. and Foy P. M., Meningitis occurring 39 years after head injury, secondary to rupture of a mucocele, 355
Karlström G., see Emami E., 299
Kay N. R. M., see Dougall T. W., 345
Kelečić M., see Peric M., 507
Keller A., The management of gunshot fractures of the humerus, 93
Kelly C. P., Haq N. and Dove J., Life-threatening retropharyngeal haematoma, 339
Kelly I. P., Attwood S. E. A., Quilan W. and Fox M. J., The management of impalement injury, 191
Kerr P. S. and Johnson D. P., Displaced femoral neck stress fracture in a marathon runner, 491
Khan F. A., Ikram M. A., Badr A. A. and Al-Khawashki H., Femoral neck fracture: a complication of femoral nailing, 319
Khanna A., Gandhi A. and Sykes P. A., Blunt abdominal injury associated with colonic rupture into abdominal muscles, 337
Kirk C. J. C., see Hetherington H., 97
Kjaergard H. K., Axelsen P. and Weis-Fogh U. S., Repair of experimental atrial rupture with fibrin glue, 147
Kjersgaard A. G., see Christensen O. M., 331
Klenerman L., see Biyani A., 291
Kneafsey B. and Condon K. C., Severe dog-bite injuries, introducing the concept of pack attack: a literature review and seven case reports, 37
Koga H., Kohno S., Fukuda M., Miyamoto J. and Hara K., A case of pulmonary tuberculosis arising at the site of injury, 557
Kohno S., see Koga H., 557
Koller J., see Mair P., 439
Konradsen L., see Christensen O. M., 331
Korovessis P., Repanti M. and Sidriopoulos P., Refracture of a healed tibial shaft fracture after irradiation for post-traumatic squamous-cell carcinoma, 559
Kozak T. K. W. and Skirving A. P., Fracture dislocation with associated humeral shaft fracture, 129
Krikler S. J., see Butt M. S., 615
Krikler S. J., see Munjal S., 645
Kukovetz E., see Hofer H. P., 103
Kulkarni S., see Ponte-Tellechea J., 353
Kunzru K. M. N., see Williams R. L., 59
Kurdy N. M. G. and Shah S. V., Fracture of the acromion associated with acromioclavicular dislocation, 636

La Hausse-Brown T. P., see Dujon D., 551
Lahoti O. P., Callanan I., Reidy D. P. and O'Rourke S. K., Hidden flexion injury of the cervical spine in ankylosing spondylitis, 67
Lane-O'Kelly A., Fogarty E. and Dowling F., The pelvic fracture in childhood: a report supporting nonoperative management, 327
Langkamer V. G., see Warwick D. J., 241
Larsson S., see Emami E., 299
Laupattarakasem W., see Mahaisavariya B., 527
Lawson G. M., Hajducka C. and McQueen M. M., Sports fractures of the distal radius – epidemiology and outcome, 33
Lee M.-C., Chiu W.-T., Chang L.-T., Liu S.-C. and Lin S.-H., Craniofacial injuries in unhelmeted riders of motorbikes, 467
Leibovici D., Shemer J. and Shapira S. C., Electrical injuries: current concepts, 623
Leighton R. K., see Johnson J. A., 451
Leong J. C. Y., see Li Y. H., 267
Levy R. D., see Degiannis E., 249
Li Y. H. and Leong J. C. Y., Fractured lateral epicondyle associated with lateral elbow stability, 267
Lin S.-H., see Lee M.-C., 467
Liu A., Flores M. and Nadarajan P., Failure of Mennen femoral plate, 202
Liu S.-C., see Lee M.-C., 467
Lovell M. E., see Darcy C. M., 285

MacNamara A. F. and Evans P. A., The use of CT scanning by Accident and Emergency departments in the UK: past, present and future, 667
Madhavan P., Nadim Y. and Cutting C., Complete avulsion of a tendon of flexor digitorum profundus from its myotendinous junction, 697
Maffulli N. and Thornton A., Ultrasonographic appearance of external callus in long-bone fractures, 5
Mahaisavariya B. and Laupattarakasem W., Late open nailing for neglected femoral shaft fractures, 527
Mair J., see Mair P., 439
Mair P., Mair J., Koller J., Wieser C., Talasz H. and Puschendorf B., Cardiac troponin T release in multiply injured patients, 439
Manktelow A. R. J., see Haddad F. S., 502
Marshall J. H., see Brooks J. P., 283
Marshall P. D., O'Connor M. and Hodgkinson J. P., The perceived relationship between neck symptoms and precedent injury, 17
Mason P. F., see Hawthorn I. E., 265
Matheson A. B., see Moir J. S., 587
Mathew B., see Clements W. D. B., 640
Mazul-Sunko B., see Peric M., 507
McCormack D., see Mulcahy D., 315
McCoy G. F., see Nicholas R. M., 257
McElwain J., see Mulcahy D., 315
McKee M. D., Seiler J. G. and Jupiter J. B., The application of the limited contact dynamic compression plate in the upper extremity: an analysis of 114 consecutive cases, 661
McNab I. S. H., see Middleton R. G., 531
McNicholl B. P., see Cooke R. S., 395, 399
McQueen M. M., see Lawson G. M., 33
Merland J. J., see Piotin M., 677
Metcalfe J. W., see Darcy C. M., 285
Mezue W., see Clements W. D. B., 640
Middleton R. G., McNab I. S. H., Hashemi-Nejad A. and Noordeen M. H. H., Multiple guide wire technique for removal of the short distal fragment of a fractured intramedullary nail, 531
Mikolašević I., see Has B., 245
Miller J. H., see Amis A. A., 163
Millet P. J. and Rushton N., Early mobilization in the treatment of Colles' fracture: a 3 year prospective study, 671
Milne A. A., see Shaw A. D., 515
Mitchell R. D., see Kanwar S., 355
Miyamoto J., see Koga H., 557
Mjöberg B., see Emami E., 299,
Mohammed S. and Rymaszewski L. A., Supracondylar fractures of the distal humerus in children, 487
Moir J. S., Murali S. R., Ashcroft G. P., Wardlaw D. and Matheson A. B., A new functional brace for the treatment of Colles' fractures, 587
Molokhia A., see Gorman D. F., 51
Monaghan A. M., see Hawthorn I. E., 265
Morgan N. H., see Johnstone D. J., 89
Moroni A., Caja V. L., Sabato C. and Zinghi G., Surgical treatment of both-column fractures by staged combined ilioinguinal and Kocher–Langenbeck approaches, 219
Mulcahy D., McCormack D., McElwain J., Wag-

staff S. and Conroy C., Low level laser therapy: a prospective double blind trial of its use in an orthopaedic population, 315
Mullan G. B., see Kaar T. K., 638
Muller R., see Bendahan J., 553
Munjal S. and Krikler S. J., Dislocation of the hip following intertrochanteric fracture, 645
Murali S. R., see Moir J. S., 587
Murie J. A., see Shaw A. D., 515
Murphy A. J., Ricketts D. and Thomas W. G., Avascular necrosis of the femoral head following pertrochanteric fracture, 351
Murray D. W., see Gibbons C. L. M. H., 389

Nadarajan P., see Liu A., 202
Nadim Y., see Madhavan P., 697
Nafie S., see Butt M. S., 615
Nancarrow J. D., see Bhatty, M. A., 341
Nargol A. V. F., see Seif-Asaad S. S., 367
Nather A., Seow C. S., Iau P. and Chan A., Morbidity and mortality for elderly patients with fractured neck of femur treated by hemiarthroplasty, 187
Nayak R. K. and Bickerstaff D. R., Acute traumatic patellar dislocation: the importance of skyline views, 347
Nayman R., see Boulanger B. R., 177
Nelson R. J., see Chesser T. J. S., 349
Newman R. J., see Templeton P. A., 419
Nicholas R. M. and McCoy G. F., Immediated intramedullary nailing of femoral shaft fractures due to gunshots, 257
Noordeen M. H. H., see Middleton R. G., 531
Notzer N., Eldad A. and Donchin Y., Assessment of physician competence in pre-hospital trauma care, 471
Nyunt B. A., Unrecognized fracture through the base of superior articular facet of cervical spine presenting with transient tetraparesis, 563

O'Connor M., see Marshall P. D., 17
O'Flanagan S. J., Ip F. K., Roberts C. J. and Chow S. P., Carpal malalignment following intra-articular fractures of the distal radius in working population, 231
O'Hare P., see Dujon D., 551
O'Malley K. F., see Ross S. E., 393
Omjec M., see Repse S., 547
Omololu A. B. and Travlos J., Bungee jumping causing a comminuted proximal femoral fracture, 413
Oni O. O. A., Protein immunohistochemistry as a means of unravelling the mysteries of fracture repair, 523
Oni O. O. A., A non-union model of the rabbit tibial diaphysis, 619
Oni O. O. A., Capper M. and Soutis C., Monitoring fracture healing with strain gauges: the effect on strain values of strain gauge location on the pin circumference, 181
Opdecam P., see De Boeck H., 65
O'Rourke S. K., see Lahoti O. P., 67
Owen R. J. T., Hickey F. G. and Finlay D. B., A study of metatarsal fractures in children, 537

Paavolainen P., see Hietaniemi K., 681
Pailthorpe C. A., see Clasper J. C., 281
Palmer S. H., Emery D. and Paterson M., Stroke following neck injury in a rugby player, 555
Palmer S. H., Bishay M. and Ross A. C., Displaced fractures of the proximal humerus: a case report which highlights the difference in outcome using two orthodox methods of treatment, 702
Pande K. C., see Babhulkar S. S., 277
Pantazopolous Th., see Papiaoannou N., 169
Papiaoannu N., Babis G. Ch., Kalavritinos J. and Pantazopolous Th., Operative treatment of type C intra-articular fractures of the distal humerus: the role of stability achieved at surgery on final outcome, 169
Paraskevopoulos J. A., Teasdale D. E. and Cuschieri R. J. Head injury secondary to ruptured abdominal aortic aneurysm: an unusual presentation, 269
Paterson M., see Palmer S. H., 555
Patsalis T., See Rawes M. L., 421
Payen D., see Piotin M., 677
Peek G. J. and Firmin R. K., Isolated sternal fracture: an audit of 10 years' experience, 385
Peek G. J., Firmin R. K. and Arsiwala S., Chest tube insertion in the ventilated patient, 425
Peltonen J., see Hietaniemi K., 681
Perez J. V., Warwick D. J., Case C. P. and Bannister G. C., Death after proximal femoral fracture – an autopsy study, 237
Perić M., Gopčević A., Maxzul-Sunko B., Ivanec Ž., Kelečić M., Bekavac-Bešlin M. and Trnski D., Clinical course in 52 severely wounded patients treated in the Intensive Care Unit during the war in Croatia, 507
Perks A. G. B., see Teanby D. N., 261
Petek W., see Hofer H. P., 103
Petrie D., see Johnson J. A., 451
Pilcher D. B., see Sartorelli K. H., 43
Pillay R., see van As A. B., 631
Pinto M. C. C., see Coimbra R., 463
Piotin M., Herbreteau D., Guichard J. P., Houdart E., Reizine D., Aymard A., Payen D. and Merland J. J., Percutaneous transcatheter embolization in multiply injured patients with pelvic ring disruption associated with severe haemorrhage and coagulopathy, 677
Podmore M., see Jeffery J. A., 126
Ponte-Tellechea J., Kulkarni S. and Bedford A. F., Isolated bilateral first rib fracture associated with aortic valve tear, 353
Poon W. S., see Goh K. Y. C., 533
Port A., see Seif-Asaad S. S., 367
Posch E., see Schwarz N., 13
Potokar T., see Degiannis E., 249
Powell J., see Varga E., 75
Powell J. N., see Gorczyca J. T., 207
Prall J. A., Winston K. T. and Brennan R., Severe snowboarding injuries, 539
Pringle R. M., see Foxworthy M., 117
Pucciarelli M., see Chiarugi M., 705
Puglisi A., see Chiarugi M., 705
Puschendorf B., see Mair P., 439

Quilan W., see Kelly I. P., 191
Qureshi N. H., Indirect lightning strike via telephone wire, 629

Rasmussen S., see Jensen A. T., 263
Rasslan S., see Coimbra R., 463
Rawes M. L., Patsalis T. and Gregg P. J., Subcapital stress fractures of the hip complicating total knee replacement, 421
Rawes M. L., Roberts J. and Dias J. J., Bilateral fibula head fractures complicating an epileptic seizure, 562
Read H. S., Johnstone A. J. and Scobie W. G., Skull fractures in children: altered conscious level is the main indication for urgent CT scanning, 333
Reddy N. S., see Biyani A., 291
Rehm A., see Fagan J. M., 335
Rehm C. G., see Ross S. E., 393
Reidy D. P., see Lahoti O. P., 67
Reis N. D., see Har-Shai Y., 401
Reiter T. J., see Sim E., 445
Reizine D., see Piotin M., 677
Repanti M., see Korovessis P., 559
Repsě S., Gadzijev E. and Omejc M., Blunt liver injury: 3 hour and 35 minute occlusion of the hepatoduodenal ligament, 547
Rice J. J., see Kaar T. K., 638
Ricketts D., see Murphy A. J., 351
Rizoli S. B., see Boulanger B. R., 177
Roberts C. J., see O'Flanagan S. J., 231
Roberts J., see Rawes M. L., 562
Rogers F. B., see Sartorelli K. H., 43
Rohman M., see Grewal H., 305
Rommens P. M., see Van den Bossche M. R. P., 323
Roos J., see Smets C., 411
Ross A. C., see Palmer S. H., 702
Ross S. E., Dragon G. M., O'Malley K. F. and Rehm C. G., Morbidity of negative coeliotomy in trauma, 393
Rossvoll I., see Bråten M., 379
Rozendaal F. W., Bonjer H. J. and Bruining H. A., Late haemorrhage from the subclavian vein due to a fracture of the first rib, 57
Ruckley C. V., see Shaw A. D., 515
Rushton N., see Millet P. J., 671
Ryan W. G., see Fagan J. M, 335
Rymaszewski L. A., see Mohammed S., 487

Saadia R., see Degiannis E., 249
Sabato C., see Moroni A., 219
Sadiq S. A. and Thurairajan G., A case of transorbital intracranial damage underlying a seemingly innocuous injury, 279
Saklatvala J., see Tandon S. C., 459
Saleh M., see Chauhan C., 415
Saleh M., see Eastaugh-Waring S. J., 567
Sándor L., see Varga E., 63
Sartorelli, K. H., Pilcher D. B. and Rogers F. B., Patterns of splenic injuries seen in skiers, 43
Sazabados S., see Varga E., 63
Schauer R. J., see Hofer H. P., 103
Schizas C. see Housden P. I., 698
Schwarz N. and Posch E., Seidel interlocking nail for healing problems in humeral shaft fractures, 13
Schweighofer F., see Hofer H. P., 103
Scobie W. G., see Read H. S., 333
Scotland T. R., see Brewster N. T., 286
Scott B. W. and Campbell P., Head in-situ hip hemiarthroplasty, 271
Sefton G. K., see Templeton P. A., 419
Seif-Asaad S. S., Nargol A. V. F. and Port A., Unstable intertrochanteric fractures treated with the Variwall reconstruction nail, 367
Seiler J. G., see McKee M. D., 661
Seow C. S., see Nather A., 187
Shapira S. C., see 623
Shaw A. D., Milne A. A., Christie J., Jenkins A. McL., Murie J. A. and Ruckley C. V., Vascular trauma of the upper limb and associated injuries, 515
Shaw C. J. and Spencer J. D., Late management of compartment syndromes, 633
Shaw D. L., Giannoudis P. V. and Archer I. A., Intra-articular dislocation of patella, 273
Shaw D. L., see Hyder N., 609
Shaw J., see Begley A., 565
Shemer J., see Leibovici D., 623
Shepherd J. P., see Brickley M. R., 311
Sidiropoulos P., see Korovessis P., 559
Sim E., Freimüller W. and Reiter T. J., Finite element analysis of the stress distributions in the proximal end of the femur after stabilization of a petrochanteric model fracture: a comparison of two implants, 445
Simison A. J. M., see Biyani A., 291
Simon R. J., see Grewal H., 305
Simpson A. H. R. W., see Gibbons C. L. M. H., 389
Simpson A. H. R. W., see Gundle R., 611
Singanayagam J., see Tandon S. C., 459
Singer B. R., The functional prognosis of thoracolumbar vertebrae fractures without neurological deficit: a long-term follow-up study of British Army personnel, 519
Sinha A. K., Boot D. A., Gorman D. F. and Teanby D. N., Severe motorcycle injury in Mersey region and North Wales, 543
Sinha M. P., see Gorman D. F., 51
Škrbić S. and Stanec Z., Early rupture of the arterial anastomoses with free flap survival, 494
Sliwa K., see Degiannis E., 249
Smets C., Roos J., Vanlommel E. and Bunker T. D., Stress fracture of os ischium, 411
Smith I. C., Multiple cranial nerve palsies in a motorcyclist caused by the helmet, 405

Soin B., Hunt N. and Hollingdale J., An unusual forearm fracture in a child suggesting a mechanism for the Monteggia injury, 407
Southern S. J. and Browning F. S. C., A skin model for wound closure tuition, 213
Soutis C., See Oni O. O. A., 181
Spencer J. D., see Shaw C. J., 633
Stanec Z., see Škrbić S., 494
Stevenson J., Sucking wounds of limbs, 151
Svendsen R. N., High substantial rupture of the anterior cruciate ligament in a 6-year-old boy, 70
Swiontkowski M. F., Outcomes measurement in orthopaedic trauma surgery, 653
Sykes P. A., see Khanna A., 337

Talasz H., see Mair P., 439
Tandon S. C., Gregson P. A. Thomas P. B. M., Saklatvala J., Singanayagam J. and Jones P. W., Reduction of post-traumatic osteoporosis after external fixation of tibial fractures, 459
Teanby D. N., Perks A. G. B., Watson S. B. and Thorlby A., Severe upper limb injuries in four passengers of a 'People Carrier': the contribution of design faults, 261
Teanby D. N., see Gorman D. F., 51
Teanby D. N., see Sinha A. K., 543
Teasdale D. E., see Paraskevopoulos J. A., 269
Templeton P. A., Newman R. J. and Sefton G. K., Treatment of diaphyseal tibial stress fractures associated with knee osteoarthrosis, 419
Terjesen T., see Bråten M., 379
Thomas D., see Fairbank A. C., 483
Thomas J., An unusual case of isolated flexor digitorum profundus laceration, 550
Thomas P. B. M., see Tandon S. C., 459
Thomas S. S., see Bhatty M. A., 341
Thomas W. G., see Murphy A. J., 351
Thorlby A., see Teanby D. N., 261
Thornton A., see Maffulli N., 5
Thurairajan G., see Sadiq S. A., 279
Tile M., see Varga E., 75
Tile M., see Gorczyca J. T., 207
Travlos J., see Omololu A. B., 413
Trnski D., see Peric, 507
Turnbull L. W., see Dougall T. W., 345

Ullmann Y., see Har-Shai Y., 401

van As. Pillay R. and Domingo Z., Shotgun pellet embolus to the anterior cerebral artery, 631
Van den Bossche M. R. P., Broos P. L. and Rommens P. M., Open fractures of the femoral shaft, treated with osteosynthesis or temporary external fixation, 323
van Leeuwen A. A. M., see van Veen I. H. P. A. A., 81
Vanlomnel E., see Smets C., 411
van Luyt P. A., see van Veen I. H. P. A. A., 81
van Popta T., see van Veen I. H. P. A. A., 81
Van Rewsburg C. J., see Bendahan J., 553
van Veen I. H. P. A. A., van Leeuwen A. A. M., van Popta T., van Luyt P. A., Bode P. J. and van Vugt A. B., Unstable pelvic fracture: a retrospective analysis, 81
van Vugt A. B., see van Veen I. H. P. A. A., 81
Van Vuren B., see tendahan J., 553
Varga E., Szabados S., Heiner L. and Sándor L., A case of survival of left atrial rupture caused by blunt chest injury. Is there a rapid diagnostic method?, 63
Varga E., Hearn T., Powell J. and Tile M., Effects of method of internal fixation of symphaseal disruptions on stability of the pelvic ring, 75
Varley G. W., The Seidel locking humeral nail: the Nottingham experience, 155
Victor J., see Fortems Y., 275
Vijay V., Bebawi M. A. and Godfrey H. G., Groin lymphocele following blunt trauma, 500

Wagstaffe S., see Mulcahy D., 315
Wakeley C. J., see Jones K. E., 195
Wardlaw D., see Moir J. S., 587
Warwick D. J., Crichlow T. P. K. R., Langkamer V. G. and Jackson M., The dynamic condylar screw in the management of subtrochanteric fractures of the femur, 241
Warwick D. J., see Perez J. V., 237
Watson S. B., see Teanby D. N., 261
Weis-Fogh U. S., see Kjaergard H. K., 147
Wells J., see Eastaugh-Waring S. J., 567
Wertheimer B., See Has B., 245
Wieser C., see Mair P., 439
Wignakumar V., see Evans J. D., 107
Wildburger R., see Hofer H. P., 103
Wiles C. E., see Dunham C. M., 373
Wilkinson M. C., see Johnstone D. J., 89
Williams L. A., see Holt M. D., 595
Williams J. R., Isolated trans-trapezoid axial-radial carpal dislocation, 417
Williams R. L. and Kunzru K. M. N., A new technique for the removal of a broken cannulated screw, 59
Williams R. L., see Haddad F. S., 691
Wilson A. W., see Coats T. J., 581
Wilson D. S., see Begley A., 565
Winston K. R., see Prall J. A., 539
Wojcik A. S., see Ashwood N., 695
Wong C. and Evans R., A black eye with a twist, 121
Wotherspoon J., see Gorman D. F., 51
Wyatt J. P. and Beattie T. F., Paediatric injuries on an artificial ski slope, 87

Xeropotamous N., see Coats T. J., 581

Yde P., see De Boecke H., 65

Zaki H. M., see Hagroo G. A., 687
Zinghi G., see Moroni A., 219

Reviewer Acknowledgement

Scientific publishing relies heavily on the enthusiasm and commitment of a large number of individuals, in particular the fellow scientists who give freely of their time and advice to ensure a standard of content and presentation for peer-reviewed journals. The Editor and Publishers of *Injury* would like to take this opportunity of thanking their reviewers for their invaluable help during 1995.